| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S18 | 158 | adaptive with data adj frame | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 13:33 |
| S20 | 605 | (adapting or adaptive) with power adj level | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 13:34 |
| S22 | 2 | (adapting or adaptive) with power adj level and power adj error adj value | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 13:48 |
| S24 | 76 | (adapting or adaptive) with (power adj level and modulation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 13:48 |
| S25 | 11 | (adapting or adaptive) with (power adj level and modulation adj level) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 13:53 |
| S26 | 132 | determining adj available adj bandwidth | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 13:54 |
| S27 | 3 | determining adj available adj bandwidth and power adj level and modulation | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 14:19 |
| S29 | 10 | adaptive adj frame adj length | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 14:32 |

| S30 | 158 | varying with packet near size | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 14:56 |
|-----|-----|-------------------------------|---------------------------------------------------|----|----|-------------------|
| S31 | 14 | TDM near column | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 14:57 |
| S32 | 8 | TDM adj data adj columns | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:08 |
| S33 | 14 | TDM near columns | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:15 |
| S34 | 10 | TDM near columns and priority | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:16 |
| S35 | 410 | SONET and priority near2 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:17 |
| S36 | 203 | SONET and priority near2 packet and DROP and THROUGH | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:29 |
| S37 | 41 | SONET and (high and low) adj priority near2 packet and DROP and THROUGH | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:21 |

| S38 | 61 | SONET and (high and low) adj priority near2 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:21 |
|------|------|------|------|------|------|------|
| S40 | 137 | SONET and drop near packet and through near packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:52 |
| S41 | 22 | SONET and drop near packet and through near packet and add near packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:54 |
| S42 | 87 | SONET and add adj drop and high adj priority | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 15:59 |
| S47 | 5 | through adj data adj packets and drop adj data adj packets | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 16:03 |
| S49 | 48 | SONET and add/drop adj node | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 16:04 |
| S53 | 43 | SONET and add/drop adj multiplexer and high adj priority | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 16:12 |
| S58 | 61 | SONET and high adj priority near2 packet and low adj priority near2 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 16:17 |

| S59 | 31 | add adj drop and high adj priority near2 packet and low adj priority near2 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 16:18 |
|-----|-----|-----|-----|-----|-----|-----|
| S60 | 16 | SONET and add adj drop and high adj priority near2 packet and low adj priority near2 packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/03 16:19 |
| S66 | 47 | power adj error adj value | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 12:22 |
| S68 | 6 | received adj power adj error adj value | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 12:22 |
| S69 | 13 | power adj error adj value and packet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 14:33 |
| S70 | 128 | TDM with packet with payload | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 14:41 |
| S78 | 132 | determining adj available adj bandwidth | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 16:55 |
| S79 | 57 | determining adj available adj bandwidth and wireless | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 17:03 |

| S81 | 3 | determining adj available adj bandwidth same packet near3 size | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/04 19:08 |